

Aristotelia serrata (Wineberry)



Austroderia richardii (Toetoe)



Carex secta (Purei)



Carex virgata



Chionochloa rubra (Copper tussock)



Coprosma propinqua (Mingimingi)



Cordyline australis (Cabbage tree)



Dacrycarpus dacrydioides (Kahikatea)




Fuchsia excorticata (Fuchsia)



Phormium tenax (Flax)

The species proposed for revegetation of the gully system are indigenous / ecologically appropriate to the area. It is recommended that revegetation is undertaken in a staged manner with planting spacing at no more than 1.5m centres to ensure quick canopy closure. Control of gorse will be a significant management issue in the short - medium term. Revegetation as proposed, to create a self-sustaining system, is recommended as the most appropriate management option for the gully's and will provide significant amenity once established.


### Gully base / watercourse edge species



Aristotelia serrata (Wineberry)




Austroderia richardii (Toetoe)




Carpodetus serratus (Putaputaweta)



Coprosma propinqua (Mingimingi)



Plagianthus regius (Lowland ribbonwood)




Pennantia corymbosa (Kaikomako)



Dacrydium cupressinum (Rimu)



Fuchsia excorticata (Fuchsia)



Griselinia littoralis (Broadleaf)



Cordyline australis (Cabbage tree)



Melicytus ramiflorus (Mahoe)



Podocarpus totara (Totara)



Hoheria angustifolia (Narrow-leaved lacebark)



Pittosporum eugenioides (Lemonwood)



Pittosporum tenuifolium (Kohuhu)



Phormium tenax (Flax)



Pseudopanax crassifolius (Lancewood)

### Gully slope species

## North Balclutha Subdivision, Clutha District Council

### Landscape Concept Plan - Reserve Planting

# Sheet 2

September 2016

**MIKE MOORE**

BSc. DipLA, MRRP(Dist), ANZILA

LANDSCAPE ARCHITECT

po box 5076, dunedin  
tel (03) 479 0833 fax (03) 479 0834 cell 0274 360 163  
email m.moore@clear.net.nz